


# Hydrogen Sulfide H<sub>2</sub>S No. H-10-103-30



	Extended Range	Standard Range	Extended Range
Range (ppmv)	50 - 1000	100 - 2000	200 - 4000
No. of Pump Strokes	2	1	0.5
Sample Volume (mL)	200	100	50
Sample Time (min)	2 x 2	2	1.5
Correction Factor	0.5	1	2

Precision (Relative Standard Deviation)\*:  $\leq \pm 10\%$

Linearity with No. of Pump Strokes:  $r^2 = 0.999$

Humidity: No effect 5 - 85% RH

Temperature Range: 0 - 40°C (32 - 104°F)

Temp (°C/F)	0/32	10/50	25/77	40/104
Corr. Factor	0.88	0.93	1.0	1.2

Storage Life: 2 years in darkness at 5 - 25°C (40 - 77°F). Refrigeration preferred.

Color Change: White → Black

Reaction Principle:  $H_2S + Pb(OAc)_2 \rightarrow PbS + 2HOAc$

Cross-sensitivity: Substance	Concentration (ppmv)	Apparent Reading*
CO	250	0
CH <sub>4</sub>	25000	0
NH <sub>3</sub>	300	0
NO <sub>2</sub>	200	0‡
SO <sub>2</sub>	20	0
CS <sub>2</sub>	100	0
Hexane	100	0
Isobutylene	100	0
Toluene	100	0

\* Data based on Honeywell pumps and tubes used in standard range.

‡ Interferes in mixtures; may result in transient brown H<sub>2</sub>S response.

Other Possible Interferences: No response to mercaptans and sulfides.