



PAPR Return Procedure

IMPORTANT: Please click to add check mark showing you have read and understand our procedure before an RA# is provided.

Respirators must be thoroughly decontaminated inside and outside by the customer and sealed in a plastic bag when being returned.
DO NOT return used filters, headband pads and neck cape Yes, please provide me with replacement pads and neck cape

This form must be completed and accompanied by Safety Data Sheets (SDS) sheets for all hazardous materials to which this Respirator has been exposed - all paperwork must be put in return box with PAPR.

All units will be stored for a minimum of 5 days before being moved to the repair cell for evaluation, this will be done in order to decontaminate any unit that comes in for service/repair. Evaluations and Quotes will be provided 5-7 days after moved to repair cell.

Customer must email completed Return Authorization Request to pureflosales@gentexcorp.com to obtain a RA# that will need to be added to this form.

Failure to decontaminate or failure to attached the required information externally to the packaging will result in the return of the respirators/powered air shield without any further action being taken by Gentex Corporation at the cost of the customer.

Reference Number/RA #

Company Name:

Contact Name:

Address:

Telephone:

Fax:

Email:

Type of Business:

Process in which the respirator/powered airshield is used:

Reason for return:

Unit Serial Number:

Distributor from whom was the unit purchased:

Purchase Date:

Was the product used in a hazardous environment? Includes COVID-19 **Yes** **No**

If the respirator/powered airshield was exposed to any hazardous contaminants, please list all below:

Contaminant Name:

CAS Number:

Trade Name:

Contaminant Name:

CAS Number:

Trade Name:

Provide and attach EXTERNALLY SDS for all hazardous materials to which the unit has been exposed.

*Indicated required information necessary to initiate the return process.