


Sulfur Dioxide SO₂**No. H-10-107-25**

	Extended Range	Standard Range	Extended Range
Range (ppmv)	50 - 900	100 - 1800	200 - 3600
No. of Pump Strokes	2	1	0.5
Sample Volume (mL)	200	100	50
Sample Time (min)	2 x 2	2	1.5
Correction Factor	0.5	1	2

Precision (Relative Standard Deviation)*: $\leq \pm 10\%$ Linearity with No. of Pump Strokes: $r^2 = 0.999$ Humidity: No effect 5 - 85% RH.Temperature Range: 0 - 40°C (32 - 104°F)

Temp (°C/F)	0/32	10/50	25/77	40/104
Corr. Factor	1.1	1.0	1.0	1.0

Storage Life: 2 years in darkness at 5 - 25°C (40 - 77°F). Refrigeration preferred.Color Change: Blue → YellowReaction Principle: $\text{SO}_2 + 2\text{NaOH} \rightarrow \text{Na}_2\text{SO}_3 + \text{H}_2\text{O}$ (pH indicator change)

Cross-sensitivity: Substance	Concentration (ppmv)	Apparent Reading*
CO	3000	0
CO ₂	10%	0
NO	100	0
NH ₃	300	0 [#]
CH ₄	25000	0
H ₂ S	100	0
Hexane	1200	0
Isobutylene	100	0
Toluene	100	0

* Data based on Honeywell pumps and tubes used in standard range.

#Reduces reading in mixture.

Other Possible Interferences: Acid gases.