

Dräger Civil Defense Set Simultaneous-Testset

Are you prepared to respond to a terrorist attack involving chemical weapons? In today's world immediate and accurate detection of toxic chemical agents is crucial. Dräger has developed an important new detection system not available from any other manufacturer – specialized sets that detect up to five different chemical agents simultaneously – in just five minutes.



ST-5506-2007

The Dräger CDS civil defense set utilizes colorimetric Dräger detector tubes, the same tube chemistry used by NATO for many years in single tube detectors.

The Dräger CDS Kit provides two CDS sets for detection of eight chemical substances, including nerve, blood, lung, nose and throat irritating agents.

The Aberdeen Proving Ground group¹⁾ tested tubes for nerve irritating agents as an example for Dräger CDS-tubes: The Dräger-tubes® performed well in all tests and the results were consistent. The interferences did not affect their performance. To make training for the CDS sets as easy and cost-saving as possible, Dräger offers training sets for CDS I and CDS V.

¹⁾ DEL: Design Evaluation Laboratory at Aberdeen Proving Ground, Edgewood, Maryland, Februar 1999

Features/Benefits

- Low cost compared to spectroscopic devices
- No power supply required for manual pump
- On-the-spot results in five minutes
- No warm-up time
- No calibration
- Minimal training, training sets available
- Simple operation
- No filters to replace

Dräger Civil Defense Set – another quality product from Dräger.



ST-6723-2006

Dräger Civil Defense Set



ST-6727-2006

Dräger Simultaneous-Test
with Gas Detector Pump accuro

ORDER INFORMATION

CDS I			81 03 140
Agent	Dräger-Tube	Sensitivity	
Hydrocyanic Acid	Hydrocyanic Acid	1 ppm	
Phosgene	Phosgene	0,2 ppm	
Lewesite	Org. Arsenic Compounds and Arsine	3 mg/m ³ (arsenic.) 0,1 ppm (Arsine)	
N-Mustard	Org. Basic Nitrogen Compounds	1mg/m ³	
S-Mustard	Thioether	1mg/m ³	
CDS V			81 03 200
Nerve Agents	Phosphoric Acid Esters	0,025 ppm	
Phosgene	Phosgene	0,2 ppm	
Cyanogen Chloride	Cyanogen Chloride	0,25 ppm	
Chlorine	Chlorine	0,2 ppm	
S-Mustard	Thioether	1mg/m ³	
Training set for CDS I			81 03 230
Training set for CDS V			81 03 240
CDS opener			64 00 090
accuro pump			64 00 000

Distribtued by
AFC International Inc
 PO Box 894
 DeMotte IN 46310
 800.952.3293 • 219.987.6825
 fax 219.987.6826
 sales@afcintl.com
 www.afcintl.com

HEADQUARTERS:
 Dräger Safety AG & Co. KGaA
 Revalstrasse 1
 23560 Lübeck, Germany
 www.draeger.com

SUBSIDIARIES:
AUSTRALIA
 Draeger Safety Pacific Pty. Ltd.
 Axxess Corporate Park
 Unit 99, 45 Gilby Road
 Mt. Waverley. Vic 3149
 Tel +61 3 92 65 50 00
 Fax +61 3 92 65 50 95

CANADA
 Draeger Canada Ltd.
 7555 Danbro Crescent
 Mississauga,
 Ontario L5N 6P9
 Tel +1 905 821 89 88
 Fax +1 905 821 25 65

P. R. CHINA
 Beijing Fortune Draeger
 Safety Equipment Co., Ltd.
 A22 Yu An Rd, B Area,
 Tianzhu Airport Industrial
 Zone, Shunyi District,
 Beijing 101300
 Tel +86 10 80 49 80 00
 Fax +86 10 80 49 80 05

FRANCE
 Dräger Safety France SAS
 3c route de la Fédération,
 BP 80141
 67025 Strasbourg Cedex 1
 Tel +33 3 88 40 59 29
 Fax +33 3 88 40 76 67

USA
 Draeger Safety, Inc.
 101 Technology Drive
 Pittsburgh, PA 15275
 Tel +1 412 787 83 83
 Fax +1 412 787 22 07

MEXICO
 Draeger Safety S.A. de C.V.
 Av. Peñuelas No. 5
 Bodega No. 37
 Fraccionamiento Industrial
 San Pedrito
 Querétaro, Qro México
 Tel +52 442 246-1113
 Fax +52 442 246-1114

NETHERLANDS
 Dräger Safety Nederland B.V.
 Edisonstraat 53
 2700 AH Zoetermeer
 Tel +31 79 344 46 66
 Fax +31 79 344 47 90

REP. OF SOUTH AFRICA
 Dräger South Africa (Pty) Ltd.
 P.O.Box 68601
 Bryanston 2021
 Tel +27 11 465 99 59
 Fax +27 11 465 69 53

SINGAPORE
 Draeger Safety Asia Pte Ltd
 67 Ayer Rajah Crescent #06-03
 Singapore 139950
 Tel +65 68 72 92 88
 Fax +65 65 12 19 08

SPAIN
 Draeger Safety Hispania S.A.
 Calle Xaudaró 5
 28034 Madrid
 Tel +34 91 728 34 00
 Fax +34 91 729 48 99

UNITED KINGDOM
 Draeger Safety UK Ltd.
 Blyth Riverside Business Park
 Blyth, Northumberland
 NE24 4RG
 Tel +44 1670 352 891
 Fax +44 1670 356 266